

25 giugno 2011.

Perciò, QUANDO MICHAEL E' STATO UCCISO, SIAMO STATE UCCISE ANCHE NOI.

LE VERITA' NASCOSTE

"Spero che questo libro raggiunga anche quelli che non sono sostenitori di Jackson, e arrivi a quei milioni di individui che si sono fidati della televisione e della stampa. Anche troppo. Se la verità avrà la meglio, allora in un modo o nell'altro la gente aprirà il proprio cuore."

"Questo libro rivela la verità su ciò che accadde dentro e fuori il tribunale durante il clamoroso processo a Michael Jackson di S. Maria, California. Nel 2005 ero convinta che fosse colpevole, ma sapevo che l'unico modo per conoscere la verità era andare di persona in tribunale. Per cinque mesi, seduta in aula al fianco di Michael Jackson, mi sono chiesta se avesse realmente abusato di minorenni. Non mi sembrava una persona capace di farlo. Più tardi, mi sono resa conto dell'esistenza di un complotto che coinvolgeva gli avvocati dell'accusa e una certa élite mediatica. Al centro, i soldi e la fama. Adesso mi chiedo cosa sia la giustizia negli Stati Uniti e nel mondo se i media possono manipolare la verità fino a questo punto. Non c'è da stupirsi che Michael Jackson abbia lasciato gli Stati Uniti rimanendo un "uomo senza casa" fino al giorno della sua morte."

personaggio dei tabloid

niente a che spartire col

COUNTY OF LOS ANGELES

DEPARTMENT OF CORONER

<h1>12</h1>	<h2>AUTOPSY REPORT</h2>	No.
	I performed an autopsy on the body of ➔	2009-04415
at _____	the DEPARTMENT OF CORONER	JACKSON, MICHAEL


Los Angeles, California on JUNE 26, 2009 @ 1000 HOURS
(Date) (Time)

From the anatomic findings and pertinent history I ascribe the death to:

- (A) ACUTE PROPOFOL INTOXICATION
DUE TO OR AS A CONSEQUENCE OF _____
- (B) _____
DUE TO OR AS A CONSEQUENCE OF _____
- (C) _____
DUE TO OR AS A CONSEQUENCE OF _____
- (D) _____
OTHER CONDITIONS CONTRIBUTING BUT NOT RELATED TO THE IMMEDIATE CAUSE OF DEATH
BENZODIAZEPINE EFFECT

Anatomical Summary:

1. Toxicology findings (see separate report).
 - A) Propofol, lorazepam, midazolam, lidocaine, diazepam and nordiazepam, identified in blood samples (see toxicology report for details).
 - B) Propofol, midazolam, lidocaine and ephedrine identified in urine.
 - C) Propofol and lidocaine identified in liver tissue.



[REDACTED]

redazione@giornaledicalabria.it
